

### **Additional Material and Bibliography**

- Alcohol Health & Research World* (1994). The Primary Care Setting: Recognition and Care of Patients with Alcohol Problems. Vol 18, No 2. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism
- American Psychiatric Association (2000) *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, Text Revision (DSM-IV-TR)*. Washington, DC: American Psychiatric Association
- Anderson P, Scott E (1992). Effect of general practitioners' advice to heavy drinking men. *Br J Addict* 87(6):891-900
- Babor TF, Aguirre-Molina M, Clayton. Managing alcohol problems and risky drinking. *Am J Health Promotion* 1999; 14:98-103
- Bien TH, Miller WR, Tonigan JS (1993). Brief interventions for alcohol problems: A review. *Addiction*, 88, 315-336
- Bien TH, Miller WR, Borouhgs JM (1993). Motivational interviewing with alcohol outpatients. *Behav Cog Psychotherapy* 21:347-356
- Bradley KA, Donovan EB, Larson EB (1993). How much is too much? Advising patients about safe levels of alcohol consumption. *Archives of Internal Medicine* 153:2734-2740
- Brown RA, Ramsey SE, Strong DR, Myers MG, Kahler CW, et al. (2003). Effects of motivational interviewing on smoking cessation in adolescents with psychiatric disorders. *Tobacco Control*, Dec 2003
- Brown RL, Leonard T, Saunders LA, Papasouliotis O (1997). A two-item screening test for alcohol and other drug problems. *Journal of Family Practice* 44:151-160
- Brown RL, Leonard T, Saunders LA, Papasouliotis O (2001). A two-item conjoint screen for alcohol and other drug problems. *Journal of the American Board of Family Practice* 14:95-106
- Center for Substance Abuse Treatment, Substance Abuse and Mental Health Services Administration, Treatment Improvement Protocol (TIP) Series – those still in print may be ordered free from the National Clearinghouse for Alcohol and Drug Information, phone 800-729-6686 or 301-468-2600:
- TIP 3 (BKD108) *Screening and Assessment of Alcohol- and Other Drug-Abusing Adolescents*

TIP 4 (BKD109) *Guidelines for the Treatment of Alcohol- and Other Drug-Abusing Adolescents*

TIP 24 (BKD234) *A Guide to Substance Abuse Services for Primary Care Physicians*

TIP 31 (BKD306) *Screening and Assessing Adolescents for Substance Use Disorders* [DHHS Publication No. (SMA) 01-3596 is a Quick Guide for Clinicians that condenses TIP 31 and TIP 32]

TIP 32 (BKD307) *Treatment of Adolescents With Substance Use Disorders*

TIP 34 (BKD341) *Brief Interventions and Brief Therapies for Substance Abuse*

**TIP 35 (BKD342) *Enhancing Motivation for Change in Substance Abuse Treatment* [DHHS Publication No. (SMA) 01-3602 is a Quick Guide for Clinicians that condenses TIP 35]**

Cavanaugh RM (2003). Screening questionnaires for young men and young women. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1517-1522

Colby SM, Barnett NP, Monti PM, Rohsenow DJ, Weissman K, Spirito A, Woolard RH, Lewander WJ (1998). Brief motivational interviewing in a hospital setting for adolescent smoking: a preliminary study. *Journal of Consulting and Clinical Psychology* 66:574-579

Cooney NL, Zweben A, Fleming MF. Screening for alcohol problems and at-risk drinking in health care settings. In Hester RK and Miller WR, editors. *Handbook of alcoholism treatment approaches: Effective alternatives*. Needham Heights, MA: Allyn & Bacon

DiClemente CC (2003). *Addiction and Change: How Addictions Develop and Addicted People Recover*. New York: Guilford Press

Fiellin DA, Reid MC, O'Connor PG (2000). Screening for alcohol problems in primary care: A systematic review. *Arch Intern Med* 160(13):1977-1989

Fleming MF, Barry KL, Manwell LB, Johnson K, London R (1997). Brief physician advice for problem alcohol drinkers: A randomized controlled trial in community-based primary care practices. *JAMA* 277:1039-1045

Fleming MF, Mundt MP, French MT, Manwell LB, Stauffacher EA, Barry KL (2000). Benefit cost analysis of brief physician advice with problem drinkers in primary care settings. *Medical Care* 38(1):7-18

Ford DE, Klag MJ, Whelton PK, Goldsmith M, Levine D (1994). Physician knowledge of the CAGE alcohol screening questions and its impact on practice. *Alcohol and Alcoholism* 29(3):329-336

Friedmann PD, McCullough D, Chin MH, Saitz R. Screening and intervention for alcohol problems: A national survey of primary care physicians and psychiatrists. *J Gen Intern Med* 2000; 15:84-91

Friedmann PD, Saitz R, Gogineni A, Zhang JX, Stein MD (2001). Validation of the screening strategy in the NIAAA "Physicians' Guide to Helping Patients with Alcohol Problems". *J Stud Alcohol* 62:234-238

Hawkins JD (2003). Adolescent risk and protective factors. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1497-1503

Higgins-Biddle JC, Babor TF, Mullahy J, Daniels J, McRee B (1997). Alcohol screening and brief intervention: where research meets practice. *Connecticut Medicine* 61(9):565-575

Institute of Medicine (1990). *Broadening the Base of Treatment for Alcohol Problems*. Washington, DC: National Academy Press

Jaffe SL (2001). *Adolescent Substance Abuse Intervention Workbook: Taking a First Step*. Washington, DC: American Psychiatric Press

Jaffe SL (2003). Adolescent treatment and relapse prevention. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1547-1552

Johnston LD, O'Malley PM, Bachman JG (Dec. 1998). Drug use by American young people begins to turn downward. University of Michigan News and Information Services: Ann Arbor, MI [On-line]. Available: [www.isr.umich.edu/src/mtf](http://www.isr.umich.edu/src/mtf)

Johnston LD, O'Malley PM, Bachman JG (1999). National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students. (NIH Publication No. 99-4660). Rockville, MD: National Institute on Drug Abuse

Kane GP (1981). *Inner-City Alcoholism: An Ecological Analysis and Cross-Cultural Study*. New York: Human Sciences Press

Kane GP (1991). Psychosocial factors and nicotine dependence. In JA Cocores, editor. *The Clinical Management of Nicotine Dependence*. New York, Springer-Verlag

Knight JR, Shrier LA, Bravender TD, Farrell M, Bilt JV, Shaffer H (1999). A new brief screen for adolescent substance abuse. *Archives of Pediatrics & Adolescent Medicine*. 153:591

**Knight JR, Sherritt L, Shrier LA, Harris SK, Chang G (2002). Validity of the CRAFFT substance abuse screening test among adolescent clinic patients. *Arch Pediatr Adolesc Med* 156: 607-614**

- Linn LS, Yager J (1989). Factors associated with physician recognition and treatment of alcoholism. *West J Med* 150:468-472
- Midanik LT, Clark WB (1994). The demographic distribution of U.S. drinking patterns in 1990: Description and trends from 1984. *American Journal of Public Health* 84:1218-1222
- Miller WR, Zweben A, DiClemente CC, Rychtarik RG (1992). *Motivational Enhancement Therapy Manual: A Clinical Research Guide for Therapists Treating Individuals with Alcohol Abuse and Dependence*. National Institute on Alcohol Abuse and Alcoholism Project MATCH Monograph Series, Vol. 2. Bethesda, MD: The Institute
- Miller WR, Sanchez VC (1993). Motivating young adults for treatment and lifestyle change. In G Howard, editor. *Issues in alcohol use and misuse by young adults* (pp 55-81). Notre Dame, IN: University of Notre Dame Press
- Miller WR (1995). Increasing motivation for change. In Hester RK and Miller WR, editors. *Handbook of alcoholism treatment approaches: Effective alternatives*. Needham Heights, MA: Allyn & Bacon
- Miller WR, Rollnick S, Moyers TB (1998). *Motivational Interviewing (Professional Training Videotape Series)*. Albuquerque, NM: University of New Mexico (six tape set, \$120 – phone 505-768-0279)
- Miller WR, C' de Baca J (2001). *Quantum Change*. New York: Guilford Press
- Miller WR, Rollnick S (1991). *Motivational Interviewing: Preparing People to Change Addictive Behavior*. New York: Guilford Press**
- Miller WR, Rollnick S (2002). *Motivational Interviewing (Second Edition): Preparing People for Change*. New York: Guilford Press**
- Monti PM, Colby SM, Barnett NP, Spirito A, Rohsenow DJ, Myers M, Woolard R, Lewander W (1999). Brief intervention for harm reduction with alcohol-positive older adolescents in a hospital emergency department. *Journal of Consulting and Clinical Psychology*. 67:989-995
- Monti PM, Colby SM, O'Leary TA, Editors (2001). *Adolescents, Alcohol, and Substance Abuse: Reaching Teens Through Brief Interventions*. New York: Guilford Press**
- Missed Opportunity: National Survey of Primary Care Physicians and Patients on Substance Abuse. [http://www.casacolumbia.org/usr\\_doc/29109.pdf](http://www.casacolumbia.org/usr_doc/29109.pdf) . 2002. The National Center on Addiction and Substance Abuse at Columbia University. 4-3-0002
- National Institute on Alcohol Abuse and Alcoholism (1992). *Alcohol Alert No. 16: Moderate Drinking*. PH 315. Bethesda, MD: The Institute
- National Institute on Alcohol Abuse and Alcoholism (1999). Brief intervention for alcohol problems. *Alcohol Alert* 43. Rockville, MD: The Institute.

**National Institute on Alcohol Abuse and Alcoholism (2000). Physician's guide to helping patients with alcohol problems. <http://www.niaaa.nih.gov/publications/physicn.htm> NIH publication No. 95-3769. Washington, DC, Government Printing Office.**

NIAAA (2000). Alcohol Alert No. 56: Screening for alcohol problems--An update. Rockville, MD: National Institute on Alcohol Abuse and Alcoholism

National Institute on Drug Abuse (1994). Clinical Report Series: Assessing Drug Abuse Among Adolescents and Adults: Standardized Instruments. NIH Publication No. 94-3757. Rockville, MD: National Institute on Drug Abuse

**National Research Council and Institute of Medicine (2004). *Reducing Underage Drinking: A Collective Responsibility*. Committee on Developing a Strategy to Reduce and Prevent Underage Drinking, RJ Bonnie and ME O'Connell, Editors. Board on Children, Youth, and Families, Division of Behavioral and Social Sciences and Education. Washington, D.C.: National Academies Press**

O'Connor PG, Schottenfeld RS (1998). Patients with alcohol problems. *NEJM* 338(9):592-602

Pickett M, Rogers PD, Cavanaugh RM (2003). Screening for alcohol, tobacco, and drug use in children and adolescents. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp1511-1516

Poteet-Johnson DJ, Dias PJ (2003). Office assessment of the substance-using adolescent. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1523-1534

Preventive Services Task Force (1996). Screening for alcohol and other drugs abuse. In M Fisher, editor. *Guide to Clinical Preventive Services. Second Edition*. Baltimore: Williams & Wilkins

Prochaska JO, DiClemente CC, Norcross J (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist* 47:1102-1114

Reid MC, Fiellin DA, O'Connor PG (1999). Hazardous and Harmful Alcohol Consumption in Primary Care. *Arch Intern Med* 159:1681-1689

Rollnick S, Heather N, Bell A (1992). Negotiating behavior change in medical settings: The development of brief motivational interviewing. *Journal of Mental Health* 1:25-37

Saunders JB, Aasland AG, Amundsen A, Grant M (1993). Alcohol consumption and related problems among primary health care patients: WHO collaborative project on early detection of persons with harmful alcohol consumption-I. *Addiction* 88:349-362.

Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M (1993). Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO collaborative project on early detection of persons with harmful alcohol consumption-II. *Addiction* 88:791-804

Skinner H. Spectrum of drinkers and intervention opportunities. *Canadian Medical Association Journal* 143(10):1054-1059

Spandorfer JM, Israel Y, Turner BJ (1999). Primary care physicians' views on screening and management of alcohol abuse: Inconsistencies with national guidelines. *J Fam Prac* 48(11):899-902

Susser M (1973). *Causal Thinking in the Health Sciences: Concepts and Strategies of Epidemiology*. New York: Oxford University Press

Tubman JG, Wagner EF, Gil AG, Pate KN (2002). Brief motivational intervention for substance-abusing delinquent adolescents: Guided Self-Change as a social work practice innovation. *Health and Social Work*. 27:208-213

[www.impactteen.org](http://www.impactteen.org) (This site has many papers and presentations related to substance use by youth, including the effects of price, plus links to other sources.)

[www.talkingcure.com](http://www.talkingcure.com) (This site has information and links on what works in psychotherapy.)

Winters KW, Estroff TW, Anderson N (2003). Adolescent assessment strategies and instruments. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1535-1546

WHO Brief Intervention Study Group (1996). A cross-national trial of brief interventions with heavy drinkers. *Am J Public Health* 86:948-955

Yeast RA, Hoover SA (2003). Binge drinking among college students. In AW Graham, TK Schultz, MF Mayo-Smith, RK Ries, BB Wilford, editors. *Principles of Addiction Medicine (Third Edition)*. Chevy Chase, MD: American Society of Addiction Medicine, pp 1504-1508